



passive fall protection products for the construction rental market

Tractel® offers different solutions designed to promote safety for rooftop or ground level applications on job sites. These products are portable, easy to set up, simple to use and OSHA compliant.

T-Rail 17

portable and non-penetrating guardrails

EASY INSTALLATION NO DRILLING NO TOOLS NEEDED IDEAL FOR RENTAL APPLICATIONS

T-Rail 17 is a 42 in. (106 cm) high versatile line of guardrail systems that fits a variety of applications meeting OSHA guidelines for permanent/temporary guardrail without penetrating your roof. In addition, it can be used as a portable system during construction and be moved from one location to another as needed.

Rail sections and gates are available from 3 to 10 ft. (1 to 3 m) long to be secured to cast iron bases allowing any type of shape and any length required. Adjustable midrails are available to avoid obstacles in the path of the rail. Rails and gates are sold in kits.

BENEFITS

- Non penetrating placement
- Low cost installation; three workers can erect over 400 ft.
 (120 m) in an hour, no tools required
- No extending counterweights required, reducing trip hazards
- Provide a safe work environment—no work stop-ages or fines

FEATURES

- Four port base allows rail sections to be angled in any direction
- Positive locking system secures rails to base
- Bases come standard with EPDM pads on bottom
- Adjustable midrails available when obstacles need to go through rail.
- Working handles are cast into base for easy lifting and positioning
- Stackable bases for easy storage and transport for quick rental requirements
- Rail Transport Cart and mover available to facilitate storage and installation

APPLICATIONS

- Manhole barricade
- Rail car platforms
- Ramps
- Construction sites
- Dig sites

- Mezzanines
- Assembly and break areas
- Crowd control
- Hoist areas

STANDARDS

- Complies with OSHA regulations 29 CFR 1910.28 and 1926.502
- Canadian Building Code
- Ontario Building Code

AVAILABLE SIZES

Lengths 3, 3.5, 4, 5, 6, 7.5 and 10 ft. (1, 1.1, 1.2, 1.5, 1.8, 2.3 and 3 m)

SKYLIGHT PROTECTION



FALL PROTECTION FOR RE-ROOFING



HEIGHT SAFETY
AROUND MECHANICALS



T-RAIL 17 ACCESSORIES



paraclamp

parapet safety guardrail system

The ParaClamp is a parapet safety guardrail system engineered to eliminate damage to copings or flashings on parapets.

BENEFITS

- Portable, cost-effective solution for fall protection on parapet lined rooftops
- Fastest install time of any parapet clamp in the market
- Adjustable stanchion for various height parapets
- Rail adaptors are available
- Adapters available for deck rail sections

FEATURES

- Two sizes able to fit from 1 to 18 in. (25 to 457 mm) or 1 to 25 in. (25 to 635 mm) parapet widths.
- Simple and fast compression locking system
- Install at 8 ft. (2.4 m) increments

APPLICATIONS

- Re-roof or new roof applications with parapet
- Construction sites

STANDARDS

Complies with OSHA regulations



*Wood planks not included.



kwikstand

portable warning line system

The KwikStand is a portable warning line system that provides a high-visibility warning to reduce accidents using bright yellow OSHA-rated flags.

BENEFITS

- Blend of portability, durability and ease-of-use.
- Inexpensive and safe for "designated" work areas
- Handle welded to the stanchion for ease of transporting into position
- Fast and easy setup and take down ideal for temporary visual warning or hazard demarcation
- Extender feet or stakes available for use in a variety of surfaces

FEATURES

- Standard tough powder coat finish
- 39 in. (1 m) tall when assembled
- Provides high-visibility warning to reduce accidents using bright yellow OSHA rated flags
- Self-contained design with lanyard clip attached
- Folds for easy transportation
- Each stand weighs 34 lbs. (15.4 kg) sturdy construction

APPLICATIONS

- Rooftops
- Manufacturing facilities
- Office buildings
- Construction sites/High-rise construction
- Maintenance contractors
- Warehouses
- Amusement parks
- Airports
- Parking Lots

STANDARDS

 Complies with OSHA regulations 29CFR- 1926.502(f)



-11 -	4		-1	ı
ais	tric	ute	a	D)

TRACTEL INC.

51 Morgan Dr. Norwood, MA 02062 1 800 421-0246 tractel.usa-east@tractel.com

TRACTEL INC.

168 Mason Way, Unit B2 City of Industry, CA 91746 1 800 675-6727 tractel.usa-west@tractel.com

TRACTEL LTD.

11020 Mirabeau St. Anjou, QC H2E 2R9 1 800 561-3229 tractel.canada@tractel.com